



ELSEVIER

Computational Geometry 10 (1998) 321–332

Computational
Geometry

Theory and Applications

Master index of Volumes 1–10

Agarwal, P.K. and M. Sharir, Off-line dynamic maintenance of the width of a planar point set	1 (1991) 65–78
Agarwal, P.K., J. Matoušek and S. Suri, Farthest neighbors, maximum spanning trees and related problems in higher dimensions	1 (1991) 189–201
Agarwal, P.K. and J. Matoušek, Relative neighborhood graphs in three dimensions	2 (1992) 1–14
Agarwal, P.K., On stabbing lines for convex polyhedra in 3D	4 (1994) 177–189
Agarwal, P.K., M.J. Katz and M. Sharir, Computing depth orders for fat objects and related problems	5 (1995) 187–206
Akutsu, T., On determining the congruence of point sets in d dimensions	9 (1998) 247–256
Allen, S. and D. Dutta, Wall thickness control in layered manufacturing for surfaces with closed slices	10 (1998) 223–238
Alsuwaiyel, M.H. and D.T. Lee, Minimal link visibility paths inside a simple polygon	3 (1993) 1–25
Alt, H., M. Godau and S. Whitesides, Universal 3-dimensional visibility representations for graphs	9 (1998) 111–125
Anagnostou, E. and D. Corneil, Polynomial-time instances of the Minimum Weight Triangulation problem	3 (1993) 247–259
Andersson, A. and K. Swanson, On the difficulty of range searching	8 (1997) 115–122
Andrews, M.G. and D.T. Lee, Parallel algorithms on circular-arc graphs	5 (1995) 117–141
Arkin, E.M., P. Belleville, J.S.B. Mitchell, D. Mount, K. Romanik, S. Salzberg and D. Souvaine, Testing simple polygons	8 (1997) 97–114
Arkin, E.M., M. Held, J.S.B. Mitchell and S.S. Skiena, Recognizing polygonal parts from width measurements	9 (1998) 237–246
Aronov, B., R. Seidel and D. Souvaine, On compatible triangulations of simple polygons	3 (1993) 27–35
Aronov, B. and M. Sharir, The common exterior of convex polygons in the plane	8 (1997) 139–149
Asano, T. and N. Katoh, Variants for the Hough transform for line detection	6 (1996) 231–252
Atallah, M.J. and D.Z. Chen, Parallel rectilinear shortest paths with rectangular obstacles	1 (1991) 79–113
Atallah, M.J. and D.Z. Chen, On parallel rectilinear obstacle-avoiding paths	3 (1993) 307–313
Atallah, M.J. and A. Fabri, On the multisearching problem for hypercubes	5 (1995) 293–302
Attali, D., r -regular shape reconstruction from unorganized points	10 (1998) 239–247
Avgustinovich, S.V. and S.V. Sevast'janov, Vector summation within minimal angle	2 (1992) 235–239
Avis, D., P. Erdős and J. Pach, Distinct distances determined by subsets of a point set in space	1 (1991) 1–11
Avis, D. and V.P. Grishukhin, A bound on the k -gonality of facets of the hypermetric cone and related complexity problems	2 (1992) 241–254
Avis, D., D. Bremner and R. Seidel, How good are convex hull algorithms?	7 (1997) 265–301
Baeza-Yates, R. and R. Schott, Parallel searching in the plane	5 (1995) 143–154
Barequet, G., M. Dickerson and P. Pau, Translating a convex polygon to contain a maximum number of points	8 (1997) 167–179
Barequet, G., M. Dickerson and D. Eppstein, On triangulating three-dimensional polygons	10 (1998) 155–170
Beauquier, D., M. Nivat, E. Remila and M. Robson, Tiling figures of the plane with two bars	5 (1995) 1–25

* For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words.

- Berretty, R.-P., K. Goldberg, M.H. Overmars and A.F. van der Stappen, Computing fence designs for orienting parts 10 (1998) 249–262
- Belleville, P. and T.C. Shermer, Probing polygons minimally is hard 2 (1992) 255–265
- Belleville, P., see Arkin, E.M. 8 (1997) 97–114
- Biedl, T. and G. Kant, A better heuristic for orthogonal graph drawings 9 (1998) 159–180
- Bistiolas, V., D. Sofotassios and A. Tsakalidis, Computing rectangle enclosures 2 (1992) 303–308
- Biswas, S., D.C. Prasad and S.P. Pal, Recognizing weakly convex visible polygons 10 (1998) 171–186
- Boissonnat, J.-D. and K.T.G. Dobrindt, On-line construction of the upper envelope of triangles and surface patches in three dimensions 5 (1995) 303–320
- Boissonnat, J.-D., A. Cérézo, O. Devillers, J. Duquesne and M. Yvinec, An algorithm for constructing the convex hull of a set of spheres in dimension d 6 (1996) 123–130
- Bokowski, J., J. Richter-Gebert and W. Schindler, On the distribution of order types 1 (1991) 127–142
- Bose, P., D. Bremner and G. Toussaint, All convex polyhedra can be clamped with parallel jaw grippers 6 (1996) 291–302
- Bose, P., T. Shermer, G. Toussaint and B. Zhu, Guarding polyhedral terrains 7 (1997) 173–185
- Bose, P. and L. Devroye, Intersections with random geometric objects 10 (1998) 139–154
- Brass, P., Erdős distance problems in normed spaces 6 (1996) 195–214
- Bremner, D., see Bose, P. 6 (1996) 291–302
- Bremner, D., see Avis, D. 7 (1997) 265–301
- Breu, H. and D.G. Kirkpatrick, Unit disk graph recognition is NP-hard 9 (1998) 3–24
- Brönnimann, H. and B. Chazelle, Optimal slope selection via cuttings 10 (1998) 23–29
- Cahill, J.M., see Dey, T.K. 8 (1997) 39–56
- Capoyleas, V., On the area of the intersection of disks in the plane 6 (1996) 393–396
- Cérézo, A., see Boissonnat, J.-D. 6 (1996) 123–130
- Chazelle, B., H. Edelsbrunner, L.J. Guibas, R. Pollack, R. Seidel, M. Sharir and J. Snoeyink, Counting and cutting cycles of lines and rods in space 1 (1991) 305–323
- Chazelle, B. and J. Friedman, Point location among hyperplanes and unidirectional ray-shooting 4 (1994) 53–62
- Chazelle, B. and J. Matoušek, Derandomizing an output-sensitive convex hull algorithm in three dimensions 5 (1995) 27–32
- Chazelle, B. and B. Rosenberg, Simplex range reporting on a pointer machine 5 (1995) 237–247
- Chazelle, B., D.P. Dobkin, N. Shouraboura and A. Tal, Strategies for polyhedral surface decomposition: An experimental study 7 (1997) 327–342
- Chazelle, B., see Brönnimann, H. 10 (1998) 23–29
- Chen, D.Z., see Atallah, M.J. 1 (1991) 79–113
- Chen, D.Z., see Atallah, M.J. 3 (1993) 307–313
- Chew, L.P. and K. Kedem, A convex polygon among polygonal obstacles: placement and high-clearance motion 3 (1993) 59–89
- Chew, L.P., Near-quadratic bounds for the L_1 Voronoi diagram of moving points 7 (1997) 73–80
- Chew, L.P., M.T. Goodrich, D.P. Huttenlocher, K. Kedem, J.M. Kleinberg and D. Kravets, Geometric pattern matching under Euclidean motion 7 (1997) 113–124
- Chew, L.P. and K. Kedem, Getting around a lower bound for the minimum Hausdorff distance 10 (1998) 197–202
- Chiang, Y.-J., Experiments on the practical I/O efficiency of geometric algorithms: Distribution sweep versus plane sweep 9 (1998) 211–236
- Clarkson, K.L., K. Mehlhorn and R. Seidel, Four results on randomized incremental constructions 3 (1993) 185–212
- Colley, P., A. Lubiw and J. Spinrad, Visibility graphs of towers 7 (1997) 161–172
- Corneil, D., see Anagnostou, E. 3 (1993) 247–259
- Corneil, D., see Everett, H. 5 (1995) 51–63
- Crescenzi, P., G. Di Battista and A. Piperno, A note on optimal area algorithms for upward drawings of binary trees 2 (1992) 187–200

- Crescenzi, P., P. Penna and A. Piperno, Linear area upward drawings of AVL trees 9 (1998) 25–42
- Csizmadia, G. and G. Tóth, Note on an art gallery problem 10 (1998) 47–55
- Daniels, K., V. Milenkovic and D. Roth, Finding the largest area axis-parallel rectangle in a polygon 7 (1997) 125–148
- Das, G., P.J. Heffernan and G. Narasimhan, LR-visibility in polygons 7 (1997) 37–57
- Das, G. and M.T. Goodrich, On the complexity of optimization problems for 3-dimensional convex polyhedra and decision trees 8 (1997) 123–137
- de Berg, M., On rectilinear link distance 1 (1991) 13–34
- de Berg, M. and M.H. Overmars, Hidden surface removal for c -oriented polyhedra 1 (1991) 247–266
- de Berg, M., Dynamic output-sensitive hidden surface removal for c -oriented polyhedra 2 (1992) 119–140
- de Berg, M., Generalized hidden surface removal 5 (1995) 249–276
- de Berg, M., Computing half-plane and strip discrepancy of planar point sets 6 (1996) 69–83
- de Berg, M., M. van Kreveld, O. Schwarzkopf and J. Snoeyink, Point location in zones of k -flats in arrangements 6 (1996) 131–143
- de Berg, M., M.M. de Groot and M.H. Overmars, Perfect binary space partitions 7 (1997) 81–91
- de Berg, M., M. de Groot and M. Overmars, New results on binary space partitions in the plane 8 (1997) 317–333
- de Groot, M.M., see de Berg, M. 7 (1997) 81–91
- de Groot, M., see de Berg, M. 8 (1997) 317–333
- Dehne, F., A. Ferreira and A. Rau-Chaplin, Parallel fractional cascading on hypercube multiprocessors 2 (1992) 141–167
- Dehne, F., see Hambruch, S.E. 3 (1993) 91–105
- Devillers, O., S. Meiser and M. Teillaud, Fully dynamic Delaunay triangulation in logarithmic expected time per operation 2 (1992) 55–80
- Devillers, O., see Boissonnat, J.-D. 6 (1996) 123–130
- Devillers, O., M. Golin, K. Kedem and S. Schirra, Queries on Voronoi diagrams of moving points 6 (1996) 315–327
- Devroye, L., see Bose, P. 10 (1998) 139–154
- Dey, T.K., On counting triangulations in d dimensions 3 (1993) 315–325
- Dey, T.K., M.B. Dillencourt, S.K. Ghosh and J.M. Cahill, Triangulating with high connectivity 8 (1997) 39–56
- Dey, T.K. and N.R. Shah, On the number of simplicial complexes in \mathbb{R}^d 8 (1997) 267–277
- Dey, T.K., see Prasad, D.C. 10 (1998) 187–196
- Di Battista, G., see Crescenzi, P. 2 (1992) 187–200
- Di Battista, G., P. Eades, R. Tamassia and I.G. Tollis, Algorithms for drawing graphs: an annotated bibliography 4 (1994) 235–282
- Di Battista, G., A. Garg, G. Liotta, R. Tamassia, E. Tassinari and F. Vargiu, An experimental comparison of four graph drawing algorithms 7 (1997) 303–325
- Di Battista, G. and R. Tamassia, Geometric Representations of Graphs 9 (1998) 1–2
- Dickerson, M., see Barequet, G. 8 (1997) 167–179
- Dickerson, M., see Barequet, G. 10 (1998) 155–170
- Dickerson, M.T. and D. Eppstein, Algorithms for proximity problems in higher dimensions 5 (1995) 277–291
- Dickerson, M.T., R.L.S. Drysdale, S.A. McElfresh and E. Welzl, Fast greedy triangulation algorithms 8 (1997) 67–86
- Dillencourt, M.B., see Dey, T.K. 8 (1997) 39–56
- Dobkin, D.P., see Chazelle, B. 7 (1997) 327–342
- Dobrindt, K.T.G., see Boissonnat, J.-D. 5 (1995) 303–320
- Drysdale, R.L.S., see Su, P. 7 (1997) 361–385
- Drysdale, R.L.S., see Dickerson, M.T. 8 (1997) 67–86
- Duquesne, J., see Boissonnat, J.-D. 6 (1996) 123–130
- Dutta, D., see Allen, S. 10 (1998) 223–238

- Dwyer, R.A., Maximal and minimal balls 3 (1993) 261–275
Dwyer, R.A., The expected size of the sphere-of-influence graph 5 (1995) 155–164
- Eades, P., see Di Battista, G. 4 (1994) 235–282
Edelsbrunner, H., see Chazelle, B. 1 (1991) 305–323
Edelsbrunner, H. and R. Waupotitsch, A combinatorial approach to cartograms 7 (1997) 343–360
Efrat, A., G. Rote and M. Sharir, On the union of fat wedges and separating a collection of segments by a line 3 (1993) 277–288
Efrat, A., M. Sharir and A. Ziv, Computing the smallest k -enclosing circle and related problems 4 (1994) 119–136
Eğecioğlu, Ö. and T.F. Gonzalez, A computationally intractable problem on simplicial complexes 6 (1996) 85–98
Eppstein, D., The farthest point Delaunay triangulation minimizes angles 1 (1991) 143–148
Eppstein, D., see Dickerson, M.T. 5 (1995) 277–291
Eppstein, D., Average case analysis of dynamic geometric optimization 6 (1996) 45–68
Eppstein, D., Faster geometric k -point MST approximation 8 (1997) 231–240
Eppstein, D., see Barequet, G. 10 (1998) 155–170
Erdős, P., see Avis, D. 1 (1991) 1–11
Erdős, P. and P. Fishburn, Minimum planar sets with maximum equidistance counts 7 (1997) 207–218
Everett, H. and D. Corneil, Negative results on characterizing visibility graphs 5 (1995) 51–63
Everett, H. and E. Rivera-Campo, Edge guarding polyhedral terrains 7 (1997) 201–203
- Fabri, A., see Atallah, M.J. 5 (1995) 293–302
Fekete, S.P. and G.J. Woeginger, Angle-Restricted Tours in the plane 8 (1997) 195–218
Ferreira, A., see Dehne, F. 2 (1992) 141–167
Ferrucci, V., see Vleugels, J. 6 (1996) 329–354
Finn, P.W., L.E. Kavvaki, J.-C. Latombe, R. Motwani, C. Shelton, S. Venkatasubramanian and A. Yao, RAPID: Randomized pharmacophore identification for drug design 10 (1998) 263–272
Fischer, P., Sequential and parallel algorithms for finding a maximum convex polygon 7 (1997) 187–200
Fishburn, P., Convex polygons with few intervertex distances 5 (1995) 65–93
Fishburn, P., see Erdős, P. 7 (1997) 207–218
Fishburn, P.C. and J.A. Reeds, Unit distances between vertices of a convex polygon 2 (1992) 81–91
Friedman, J., see Chazelle, B. 4 (1994) 53–62
Fuchs, U., see Schwarzkopf, O. 10 (1998) 77–87
Fukuda, K. and V. Rosta, Combinatorial face enumeration in convex polytopes 4 (1994) 191–198
Fukuda, K., T.M. Liebling and F. Margot, Analysis of backtrack algorithms for listing all vertices and all faces of a convex polyhedron 8 (1997) 1–12
- Gajentaan, A. and M.H. Overmars, On a class of $O(n^2)$ problems in computational geometry 5 (1995) 165–185
Garg, A., see Di Battista, G. 7 (1997) 303–325
Garg, A., New results on drawing angle graphs 9 (1998) 43–82
Gewali, L.P. and S. Ntafos, Covering grids and orthogonal polygons with periscope guards 2 (1992) 309–334
Ghosh, S.K., A. Maheshwari, S.P. Pal, S. Saluja and C.E. Veni Madhavan, Characterizing and recognizing weak visibility polygons 3 (1993) 213–233
Ghosh, S.K., see Dey, T.K. 8 (1997) 39–56
Ghosh, S.K. and S. Saluja, Optimal on-line algorithms for walking with minimum number of turns in unknown streets 8 (1997) 241–266
Ghouse, M.R. and M.T. Goodrich, Fast randomized parallel methods for planar convex hull construction 7 (1997) 219–235
Godau, M., see Alt, H. 9 (1998) 111–125
Goldberg, K., see Berretty, R.-P. 10 (1998) 249–262
Goldberg, K.Y., see Rao, A.S. 6 (1996) 145–168
Golin, M., see Devillers, O. 6 (1996) 315–327

- Golin, M.J., How many maxima can there be? 2 (1992) 335–353
- Gonzalez, T.F., M. Razzazi, M.-T. Shing and S.-Q. Zheng, On optimal guillotine partitions approximating optimal d -box partitions 4 (1994) 1–11
- Gonzalez, T.F., see Egecioğlu, Ö. 6 (1996) 85–98
- Goodrich, M.T., Constructing the convex hull of a partially sorted set of points 2 (1992) 267–278
- Goodrich, M.T., see Chew, L.P. 7 (1997) 113–124
- Goodrich, M.T., see Ghouse, M.R. 7 (1997) 219–235
- Goodrich, M.T., see Das, G. 8 (1997) 123–137
- Gravesen, J., Adaptive subdivision and the length and energy of Bézier curves 8 (1997) 13–31
- Grishukhin, V.P., see Avis, D. 2 (1992) 241–254
- Guha, S., An optimal parallel algorithm using exclusive read/writes for the rectilinear Voronoi diagram 3 (1993) 37–52
- Guibas, L.J., see Chazelle, B. 1 (1991) 305–323
- Guibas, L.J., M.H. Overmars and J.-M. Robert, The exact fitting problem in higher dimensions 6 (1996) 215–230
- Gupta, P., R. Janardan and M. Smid, Algorithms for generalized halfspace range searching and other intersection searching problems 5 (1995) 321–340
- Gupta, P., R. Janardan and M. Smid, Algorithms for generalized halfspace range searching and other intersection searching problems 6 (1996) 1–19
- Gupta, P., R. Janardan and M. Smid, Fast algorithms for collision and proximity problems involving moving geometric objects 6 (1996) 371–391
- Gupta, N. and S. Sen, Optimal, output-sensitive algorithms for constructing planar hulls in parallel 8 (1997) 151–166
- Györi, E., F. Hoffmann, K. Kriegel and T. Shermer, Generalized guarding and partitioning for rectilinear polygons 6 (1996) 21–44
- Hagauer, J. and G. Rote, Three-clustering of points in the plane 8 (1997) 87–95
- Halperin, D. and M. Sharir, Improved combinatorial bounds and efficient techniques for certain motion planning problems with three degrees of freedom 1 (1991) 269–303
- Halperin, D., see van der Stappen, A.F. 3 (1993) 353–373
- Halperin, D. and C.-K. Yap, Combinatorial complexity of translating a box in polyhedral 3-space 9 (1998) 181–196
- Halperin, D. and C.R. Shelton, A perturbation scheme for spherical arrangements with application to molecular modeling 10 (1998) 273–287
- Hambrusch, S. and H.-Y. Tu, A framework for 1-D compaction with forbidden region avoidance 1 (1991) 203–226
- Hambrusch, S.E. and F. Dehne, Determining maximum k -width-connectivity on meshes 3 (1993) 91–105
- Har-Peled, S., An output sensitive algorithm for discrete convex hulls 10 (1998) 125–138
- Heath, D. and S. Kasif, The complexity of finding minimal Voronoi covers with applications to machine learning 3 (1993) 289–305
- Heath, L.S., P.K. Paripati and J.W. Roach, Representing polyhedra: faces are better than vertices 3 (1993) 327–351
- Heffernan, P.J., Linear-time algorithms for weakly-monotone polygons 3 (1993) 121–137
- Heffernan, P.J. and S. Schirra, Approximate decision algorithms for point set congruence 4 (1994) 137–156
- Heffernan, P.J., see Das, G. 7 (1997) 37–57
- Held, M., see Arkin, E.M. 9 (1998) 237–246
- Hershberger, J., Upper envelope onion peeling 2 (1992) 93–110
- Hershberger, J., Minimizing the sum of diameters efficiently 2 (1992) 111–118
- Hershberger, J. and J. Snoeyink, Computing minimum length paths of a given homotopy class 4 (1994) 63–97
- Hershberger, J. and S. Suri, Finding a shortest diagonal of a simple polygon in linear time 7 (1997) 149–160
- Hershberger, J. and S. Suri, Practical methods for approximating shortest paths on a convex polytope in \mathbb{R}^3 10 (1998) 31–46
- Hershberger, J.E. and J.S. Snoeyink, Erased arrangements of lines and convex decompositions of polyhedra 9 (1998) 129–143
- Hirata, T., J. Matoušek, X.-H. Tan and T. Tokuyama, Complexity of projected images of convex subdivisions 4 (1994) 293–308

Hoffman, C.M., Foreword	10 (1998) 221
Hoffmann, F., see Györi, E.	6 (1996) 21–44
Hohmeyer, M.E. and S.J. Teller, Stabbing isothetic boxes and rectangles in $O(n \log n)$ time	2 (1992) 201–207
Hurtado, F. and M. Noy, Triangulations, visibility graph and reflex vertices of a simple polygon	6 (1996) 355–369
Huttenlocher, D.P., see Chew, L.P.	7 (1997) 113–124
Janardan, R., see Gupta, P.	5 (1995) 321–340
Janardan, R., see Gupta, P.	6 (1996) 1–19
Janardan, R., see Gupta, P.	6 (1996) 371–391
Jansen, K., One strike against the min-max degree triangulation problem	3 (1993) 107–120
Jaromczyk, J.W. and G.W. Wasilkowski, Computing convex hull in a floating point arithmetic	4 (1994) 283–292
Joseph, E. and S.S. Skiena, Model-based probing strategies for convex polygons	2 (1992) 209–221
Kalyanasundaram, B. and K. Pruhs, A competitive analysis of algorithms for searching unknown scenes	3 (1993) 139–155
Kant, G., see Biedl, T.	9 (1998) 159–180
Kasif, S., see Heath, D.	3 (1993) 289–305
Kato, N., see Asano, T.	6 (1996) 231–252
Katz, M.J., M.H. Overmars and M. Sharir, Efficient hidden surface removal for objects with small union size	2 (1992) 223–234
Katz, M.J., see Agarwal, P.K.	5 (1995) 187–206
Katz, M.J., 3-D vertical ray shooting and 2-D point enclosure, range searching, and arc shooting amidst convex fat objects	8 (1997) 299–316
Kavraki, L.E., see Finn, P.W.	10 (1998) 263–272
Kedem, K., see Chew, L.P.	3 (1993) 59–89
Kedem, K., see Devillers, O.	6 (1996) 315–327
Kedem, K., see Chew, L.P.	7 (1997) 113–124
Kedem, K., see Chew, L.P.	10 (1998) 197–202
Kirkpatrick, D.G. and S.K. Wismath, Determining bar-representability for ordered weighted graphs	6 (1996) 99–122
Kirkpatrick, D.G., see Breu, H.	9 (1998) 3–24
Kitsios, N. and A. Tsakalidis, Space reduction and an extension for a hidden line elimination algorithm	6 (1996) 397–404
Klein, R., Walking an unknown street with bounded detour	1 (1991) 325–351
Klein, R., K. Mehlhorn and S. Meiser, Randomized incremental construction of abstract Voronoi diagrams	3 (1993) 157–184
Kleinberg, J.M., see Chew, L.P.	7 (1997) 113–124
Kranakis, E. and M. Pocchiola, Counting problems relating to a theorem of Dirichlet	4 (1994) 309–325
Kravets, D., see Chew, L.P.	7 (1997) 113–124
Kriegel, K., see Györi, E.	6 (1996) 21–44
Latombe, J.-C., see Finn, P.W.	10 (1998) 263–272
Lê, N.-M., Randomized incremental construction of simple abstract Voronoi diagrams in 3-space	8 (1997) 279–298
Lee, D.T., see Alsuwaiyel, M.H.	3 (1993) 1–25
Lee, D.T., see Andrews, M.G.	5 (1995) 117–141
Lee, D.T., see Swanson, K.	5 (1995) 225–235
Liebling, T.M., see Fukuda, K.	8 (1997) 1–12
Lingas, A., A linear-time construction of the relative neighborhood graph from the Delaunay triangulation	4 (1994) 199–208
Liotta, G., see Di Battista, G.	7 (1997) 303–325
Liotta, G., A. Lubiwi, H. Meijer and S.H. Whitesides, The rectangle of influence drawability problem	10 (1998) 1–22
Lubiwi, A. and J. Urrutia, Foreword	7 (1997) 1–2

- Lubiw, A., see Colley, P. 7 (1997) 161–172
 Lubiw, A., see Liotta, G. 10 (1998) 1– 22
- Maheshwari, A., see Ghosh, S.K. 3 (1993) 213–233
 Margot, F., see Fukuda, K. 8 (1997) 1– 12
 Mark Keil, J., Computing a subgraph of the minimum weight triangulation 4 (1994) 13– 26
 Matoušek, J., see Agarwal, P.K. 1 (1991) 189–201
 Matoušek, J., see Agarwal, P.K. 2 (1992) 1– 14
 Matoušek, J., Reporting points in halfspaces 2 (1992) 169–186
 Matoušek, J., On vertical ray shooting in arrangements 2 (1992) 279–285
 Matoušek, J., see Hirata, T. 4 (1994) 293–308
 Matoušek, J., see Chazelle, B. 5 (1995) 27– 32
 Matoušek, J. and O. Schwarzkopf, A deterministic algorithm for the three-dimensional diameter problem 6 (1996) 253–262
 Mazón, M. and T. Recio, Voronoi Diagrams on orbifolds 8 (1997) 219–230
 McElfresh, S.A., see Dickerson, M.T. 8 (1997) 67– 86
 Mehlhorn, K., see Klein, R. 3 (1993) 157–184
 Mehlhorn, K., see Clarkson, K.L. 3 (1993) 185–212
 Mehlhorn, K., M. Sharir and E. Welzl, Tail estimates for the efficiency of randomized incremental algorithms for line segment intersection 3 (1993) 235–246
 Mehlhorn, K., M. Müller, S. Näher, S. Schirra, M. Seel, C. Uhrig and J. Ziegler, A computational basis for higher-dimensional computational geometry and applications 10 (1998) 289–303
 Meijer, H., see Liotta, G. 10 (1998) 1– 22
 Meiser, S., see Devillers, O. 2 (1992) 55– 80
 Meiser, S., see Klein, R. 3 (1993) 157–184
 Metaxas, P.T., G.E. Pantziou and A. Symvonis, A note on parallel algorithms for optimal h-v drawings of binary trees 9 (1998) 145–158
 Milenkovic, V., see Milenkovic, V.J. 7 (1997) 25– 35
 Milenkovic, V., see Daniels, K. 7 (1997) 125–148
 Milenkovic, V.J. and V. Milenkovic, Rational orthogonal approximations to orthogonal matrices 7 (1997) 25– 35
 Milenkovic, V.J., Rotational polygon overlap minimization and compaction 10 (1998) 305–318
 Mirzaian, A., Hamiltonian triangulations and circumscribing polygons of disjoint line segments 2 (1992) 15– 30
 Mitchell, J.S.B. and S. Suri, Separation and approximation of polyhedral objects 5 (1995) 95–114
 Mitchell, J.S.B., see Zhu, C. 6 (1996) 277–290
 Mitchell, J.S.B., see Arkin, E.M. 8 (1997) 97–114
 Mitchell, J.S.B., see Arkin, E.M. 9 (1998) 237–246
 Mitchell, S.A., Approximating the maxmin-angle covering triangulation 7 (1997) 93–111
 Mount, D., see Arkin, E.M. 8 (1997) 97–114
 Motwani, R., see Finn, P.W. 10 (1998) 263–272
 Müller, M., see Mehlhorn, K. 10 (1998) 289–303
- Näher, S., see Mehlhorn, K. 10 (1998) 289–303
 Naiman, D.Q. and H.P. Wynn, On intersecting a point set with Euclidean balls 7 (1997) 237–244
 Nakano, S.-i., see Rahman, Md.S. 10 (1998) 203–220
 Narasimhan, G., see Das, G. 7 (1997) 37– 57
 Nilsson, B.J. and S. Schuierer, An optimal algorithm for the rectilinear link center of a rectilinear polygon 6 (1996) 169–194
 Nishizeki, T., see Rahman, Md.S. 10 (1998) 203–220
 Nivat, M., see Beauquier, D. 5 (1995) 1– 25
 Noy, M., see Hurtado, F. 6 (1996) 355–369
 Ntafos, S., Watchman routes under limited visibility 1 (1991) 149–170
 Ntafos, S., see Gewali, L.P. 2 (1992) 309–334

- O'Rourke, J. and J. Rippel, Two segment classes with Hamiltonian visibility graphs 4 (1994) 209–218
- O'Rourke, J. and I. Streinu, The vertex–edge visibility graph of a polygon 10 (1998) 105–120
- Overmars, M., see Vleugels, J. 6 (1996) 329–354
- Overmars, M., see de Berg, M. 8 (1997) 317–333
- Overmars, M.H. and M. Sharir, Merging visibility maps 1 (1991) 35–49
- Overmars, M.H., see de Berg, M. 1 (1991) 247–268
- Overmars, M.H., see Katz, M.J. 2 (1992) 223–234
- Overmars, M.H., see van der Stappen, A.F. 3 (1993) 353–373
- Overmars, M.H., see Gajentaan, A. 5 (1995) 165–185
- Overmars, M.H., see Guibas, L.J. 6 (1996) 215–230
- Overmars, M.H., see de Berg, M. 7 (1997) 81–91
- Overmars, M.H., see Berretty, R.-P. 10 (1998) 249–262
- Pach, J., see Avis, D. 1 (1991) 1–11
- Pach, J., A Tverberg-type result on multicolored simplices 10 (1998) 71–76
- Pach, J. and E. Rivera-Campo, On circumscribing polygons for line segments 10 (1998) 121–124
- Pal, S.P., see Ghosh, S.K. 3 (1993) 213–233
- Pal, S.P., see Biswas, S. 10 (1998) 171–186
- Pal, S.P., see Prasad, D.C. 10 (1998) 187–196
- Palios, L., Optimal tetrahedralization of the 3D-region “between” a convex polyhedron and a convex polygon 6 (1996) 263–276
- Pantziou, G.E., see Metaxas, P.T. 9 (1998) 145–158
- Papakostas, A. and I.G. Tollis, Algorithms for area-efficient orthogonal drawings 9 (1998) 83–110
- Paripati, P.K., see Heath, L.S. 3 (1993) 327–351
- Pau, P., see Barequet, G. 8 (1997) 167–179
- Pellegrini, M., Lower bounds on stabbing lines in 3-space 3 (1993) 53–58
- Penna, P., see Crescenzi, P. 9 (1998) 25–42
- Piperno, A., see Crescenzi, P. 2 (1992) 187–200
- Piperno, A., see Crescenzi, P. 9 (1998) 25–42
- Pocchiola, M., see Kranakis, E. 4 (1994) 309–325
- Pocchiola, M. and G. Vegter, Minimal tangent visibility graphs 6 (1996) 303–314
- Pollack, R., see Chazelle, B. 1 (1991) 305–323
- Prasad, D.C., see Biswas, S. 10 (1998) 171–186
- Prasad, D.C., S.P. Pal and T.K. Dey, Visibility with multiple diffuse reflections 10 (1998) 187–196
- Pruhs, K., see Kalyanasundaram, B. 3 (1993) 139–155
- Rahman, Md.S., S.-i. Nakano and T. Nishizeki, Rectangular grid drawings of plane graphs 10 (1998) 203–220
- Ramaswami, S., P. Ramos and G. Toussaint, Converting triangulations to quadrangulations 9 (1998) 257–276
- Ramos, E.A., Intersection of unit-balls and diameter of a point set in \mathbb{R}^3 8 (1997) 57–65
- Ramos, P., see Ramaswami, S. 9 (1998) 257–276
- Rao, A., see Vleugels, J. 6 (1996) 329–354
- Rao, A.S. and K.Y. Goldberg, Computing grasp functions 6 (1996) 145–168
- Rappaport, D., A convex hull algorithm for discs, and applications 1 (1991) 171–187
- Rappaport, D. and A. Rosenbloom, Moldable and castable polygons 4 (1994) 219–233
- Rau-Chaplin, A., see Dehne, F. 2 (1992) 141–167
- Razzazi, M., see Gonzalez, T.F. 4 (1994) 1–11
- Recio, T., see Mazón, M. 8 (1997) 219–230
- Reeds, J.A., see Fishburn, P.C. 2 (1992) 81–91
- Remila, E., see Beauquier, D. 5 (1995) 1–25
- Richter-Gebert, J., see Bokowski, J. 1 (1991) 127–142
- Rippel, J., see O'Rourke, J. 4 (1994) 209–218

Rivera-Campo, E., see Everett, H.	7 (1997) 201–203
Rivera-Campo, E., see Pach, J.	10 (1998) 121–124
Roach, J.W., see Heath, L.S.	3 (1993) 327–351
Robert, J.-M. and G.T. Toussaint, Linear approximation of simple objects	4 (1994) 27–52
Robert, J.-M., see Guibas, L.J.	6 (1996) 215–230
Robert, J.-M., Geometric orderings of intersecting translates and their applications	7 (1997) 59–72
Robson, M., see Beauquier, D.	5 (1995) 1–25
Romanik, K. and C. Smith, Testing geometric objects	4 (1994) 157–176
Romanik, K. and S. Salzberg, Testing orthogonal shapes	5 (1995) 33–49
Romanik, K., see Arkin, E.M.	8 (1997) 97–114
Rosenberg, B., see Chazelle, B.	5 (1995) 237–247
Rosenbloom, A., see Rappaport, D.	4 (1994) 219–233
Rosta, V., see Fukuda, K.	4 (1994) 191–198
Rote, G., see Efrat, A.	3 (1993) 277–288
Rote, G., see Hagauer, J.	8 (1997) 87–95
Rote, G., see Schwarzkopf, O.	10 (1998) 77–87
Roth, D., see Daniels, K.	7 (1997) 125–148
Sack, J.-R. and J. Urrutia, Editorial	1 (1997) vii–iix
Sack, J.-R. and J. Urrutia, Obituary Paul Erdős (1913–1996)	7 (1997) 205–206
Sack, J.-R. and J. Urrutia, Editorial	9 (1998) 127
Saluja, S., see Ghosh, S.K.	3 (1993) 213–233
Saluja, S., see Ghosh, S.K.	8 (1997) 241–266
Salzberg, S., see Romanik, K.	5 (1995) 33–49
Salzberg, S., see Arkin, E.M.	8 (1997) 97–114
Sauer, P., On the recognition of digital circles in linear time	2 (1992) 287–302
Schindler, W., see Bokowski, J.	1 (1991) 127–142
Schindler, W., Equivariant mappings: a new approach in stochastic simulations	4 (1994) 327–343
Schirra, S., see Heffernan, P.J.	4 (1994) 137–156
Schirra, S., see Devillers, O.	6 (1996) 315–327
Schirra, S., see Mehlhorn, K.	10 (1998) 289–303
Schott, R., see Baeza-Yates, R.	5 (1995) 143–154
Schuieler, S., see Nilsson, B.J.	6 (1996) 169–194
Schwarzkopf, O., see de Berg, M.	6 (1996) 131–143
Schwarzkopf, O., see Matoušek, J.	6 (1996) 253–262
Schwarzkopf, O., U. Fuchs, G. Rote and E. Welzl, Approximation of convex figures by pairs of rectangles	10 (1998) 77–87
Seel, M., see Mehlhorn, K.	10 (1998) 289–303
Seidel, R., A simple and fast incremental randomized algorithm for computing trapezoidal decompositions and for triangulating polygons	1 (1991) 51–64
Seidel, R., see Chazelle, B.	1 (1991) 305–323
Seidel, R., see Aronov, B.	3 (1993) 27–35
Seidel, R., see Clarkson, K.L.	3 (1993) 185–212
Seidel, R., The upper bound theorem for polytopes: an easy proof of its asymptotic version	5 (1995) 115–116
Seidel, R., see Avis, D.	7 (1997) 265–301
Sen, S., see Gupta, N.	8 (1997) 151–166
Sevast'janov, S.V., see Avgustinovich, S.V.	2 (1992) 235–239
Shah, N.R., see Dey, T.K.	8 (1997) 267–277
Sharir, M., see Overmars, M.H.	1 (1991) 35–49
Sharir, M., see Agarwal, P.K.	1 (1991) 65–78
Sharir, M., see Halperin, D.	1 (1991) 269–303

- Sharir, M., see Chazelle, B. 1 (1991) 305–323
 Sharir, M., see Katz, M.J. 2 (1992) 223–234
 Sharir, M., see Mehlhorn, K. 3 (1993) 235–246
 Sharir, M., see Efrat, A. 3 (1993) 277–288
 Sharir, M. and S. Toledo, Extremal polygon containment problems 4 (1994) 99–118
 Sharir, M., see Efrat, A. 4 (1994) 119–136
 Sharir, M., see Agarwal, P.K. 5 (1995) 187–206
 Sharir, M., see Aronov, B. 8 (1997) 139–149
 Shelton, C., see Finn, P.W. 10 (1998) 263–272
 Shelton, C.R., see Halperin, D. 10 (1998) 273–287
 Shermer, T., Computing bushy and thin triangulations 1 (1991) 115–125
 Shermer, T., see Györi, E. 6 (1996) 21–44
 Shermer, T., see Bose, P. 7 (1997) 173–185
 Shermer, T.C., see Belleville, P. 2 (1992) 255–265
 Shing, M.-T., see Gonzalez, T.F. 4 (1994) 1–11
 Shor, P.W. and C.J. Van Wyk, Detecting and decomposing self-overlapping curves 2 (1992) 31–50
 Shouraboura, N., see Chazelle, B. 7 (1997) 327–342
 Skiena, S.S., see Joseph, E. 2 (1992) 209–221
 Skiena, S.S., see Arkin, E.M. 9 (1998) 237–246
 Smid, M., see Gupta, P. 5 (1995) 321–340
 Smid, M., see Gupta, P. 6 (1996) 1–19
 Smid, M., see Gupta, P. 6 (1996) 371–391
 Smith, C., see Romanik, K. 4 (1994) 157–176
 Snoeyink, J., see Chazelle, B. 1 (1991) 305–323
 Snoeyink, J., see Hershberger, J. 4 (1994) 63–97
 Snoeyink, J., see de Berg, M. 6 (1996) 131–143
 Snoeyink, J., see Zhu, C. 6 (1996) 277–290
 Snoeyink, J.S., see Hershberger, J.E. 9 (1998) 129–143
 Sofotassios, D., see Bistiolas, V. 2 (1992) 303–308
 Souvaine, D., see Aronov, B. 3 (1993) 27–35
 Souvaine, D., see Arkin, E.M. 8 (1997) 97–114
 Souvaine, D.L. and C.-K. Yap, Combinatorial complexity of signed discs 5 (1995) 207–223
 Spinrad, J., see Colley, P. 7 (1997) 161–172
 Steiger, W. and I. Streinu, Illumination by floodlights 10 (1998) 57–70
 Stifter, S., Characterization of contour elements that generate abstract Voronoi diagrams 7 (1997) 245–262
 Streinu, I., see Steiger, W. 10 (1998) 57–70
 Streinu, I., see O'Rourke, J. 10 (1998) 105–120
 Su, P. and R.L.S. Drysdale, A comparison of sequential Delaunay triangulation algorithms 7 (1997) 361–385
 Sundaram, G., see Zhu, C. 6 (1996) 277–290
 Suri, S., see Agarwal, P.K. 1 (1991) 189–201
 Suri, S., see Mitchell, J.S.B. 5 (1995) 95–114
 Suri, S., see Hershberger, J. 7 (1997) 149–160
 Suri, S., see Hershberger, J. 10 (1998) 31–46
 Swanson, K., D.T. Lee and V.L. Wu, An optimal algorithm for roundness determination on convex polygons 5 (1995) 225–235
 Swanson, K., see Andersson, A. 8 (1997) 115–122
 Symvonis, A., see Metaxas, P.T. 9 (1998) 145–158

 Tal, A., see Chazelle, B. 7 (1997) 327–342
 Tamassia, R., see Di Battista, G. 4 (1994) 235–282
 Tamassia, R., see Di Battista, G. 7 (1997) 303–325

- Tamassia, R., see Di Battista, G. 9 (1998) 1–2
 Tan, X.-H., see Hirata, T. 4 (1994) 293–308
 Tassinari, E., see Di Battista, G. 7 (1997) 303–325
 Teillaud, M., see Devillers, O. 2 (1992) 55–80
 Teller, S.J., see Hohmeyer, M.E. 2 (1992) 201–207
 Teng, S.-H., Combinatorial aspects of geometric graphs 9 (1998) 277–287
 Tokuyama, T., see Hirata, T. 4 (1994) 293–308
 Toledo, S., see Sharir, M. 4 (1994) 99–118
 Tollis, I.G., see Di Battista, G. 4 (1994) 235–282
 Tollis, I.G., see Papakostas, A. 9 (1998) 83–110
 Tóth, G., The shortest distance among points in general position 8 (1997) 33–38
 Tóth, G., see Csizmadia, G. 10 (1998) 47–55
 Toussaint, G., see Bose, P. 6 (1996) 291–302
 Toussaint, G., see Bose, P. 7 (1997) 173–185
 Toussaint, G., see Ramaswami, S. 9 (1998) 257–276
 Toussaint, G.T., see Robert, J.-M. 4 (1994) 27–52
 Tsakalidis, A., see Bistiolas, V. 2 (1992) 303–308
 Tsakalidis, A., see Kitsios, N. 6 (1996) 397–404
 Tsin, Y.H., see Wang, C.A. 10 (1998) 89–104
 Tu, H.-Y., see Hambrusch, S. 1 (1991) 203–226
- Uhrig, C., see Mehlhorn, K. 10 (1998) 289–303
 Urabe, M. and M. Watanabe, On a counterexample to a conjecture of Mirzaian (Note) 2 (1992) 51–53
 Urrutia, J., see Sack, J.-R. 1 (1991) vii–ix
 Urrutia, J., see Lubiw, A. 7 (1997) 1–2
 Urrutia, J., see Sack, J.-R. 7 (1997) 205–206
 Urrutia, J., see Sack, J.-R. 9 (1998) 127
- van der Stappen, A.F., D. Halperin and M.H. Overmars, The complexity of the free space for a robot moving amidst fat obstacles 3 (1993) 353–373
 van der Stappen, A.F., see Berretty, R.-P. 10 (1998) 249–262
 Van Kreveld, M., see de Berg, M. 6 (1996) 131–143
 van Kreveld, M., On fat partitioning, fat covering and the union size of polygons 9 (1998) 197–210
 Van Wyk, C.J., see Shor, P.W. 2 (1992) 31–50
 Vargiu, F., see Di Battista, G. 7 (1997) 303–325
 Vegter, G., see Pocchiola, M. 6 (1996) 303–314
 Veltkamp, R.C., The γ -neighborhood graph 1 (1991) 227–246
 Veni Madhavan, C.E., see Ghosh, S.K. 3 (1993) 213–233
 Venkatasubramanian, S., see Finn, P.W. 10 (1998) 263–272
 Vleugels, J., V. Ferrucci, M. Overmars and A. Rao, Hunting Voronoi vertices 6 (1996) 329–354
- Wagner, F. and A. Wolff, A practical map labeling algorithm 7 (1997) 387–404
 Wang, C.A. and Y.H. Tsin, Finding constrained and weighted Voronoi diagrams in the plane 10 (1998) 89–104
 Wasilkowski, G.W., see Jaromczyk, J.W. 4 (1994) 283–292
 Watanabe, M., see Urabe, M. 2 (1992) 51–53
 Waupotitsch, R., see Edelsbrunner, H. 7 (1997) 343–360
 Welzl, E., see Mehlhorn, K. 3 (1993) 235–246
 Welzl, E., Foreword 7 (1997) 263–264
 Welzl, E., see Dickerson, M.T. 8 (1997) 67–86
 Welzl, E., see Schwarzkopf, O. 10 (1998) 77–87
 Whitesides, S., see Alt, H. 9 (1998) 111–125

Whitesides, S.H., see Liotta, G.	10 (1998) 1–22
Wismath, S.K., see Kirkpatrick, D.G.	6 (1996) 99–122
Woeginger, G.J., see Fekete, S.P.	8 (1997) 195–218
Wolff, A., see Wagner, F.	7 (1997) 387–404
Wu, V.L., see Swanson, K.	5 (1995) 225–235
Wynn, H.P., see Naiman, D.Q.	7 (1997) 237–244
Yao, A., see Finn, P.W.	10 (1998) 263–272
Yap, C.-K., see Souvaine, D.L.	5 (1995) 207–223
Yap, C.-K., Towards exact geometric computation	7 (1997) 3–23
Yap, C.-K., see Halperin, D.	9 (1998) 181–196
Yvinec, M., see Boissonnat, J.-D.	6 (1996) 123–130
Zheng, S.-Q., see Gonzalez, T.F.	4 (1994) 1–11
Zhu, B., see Bose, P.	7 (1997) 173–185
Zhu, B., Computing the shortest watchtower of a polyhedral terrain in $O(n \log n)$ time	8 (1997) 181–193
Zhu, C., G. Sundaram, J. Snoeyink and J.S.B. Mitchell, Generating random polygons with given vertices	6 (1996) 277–290
Ziegler, J., see Mehlhorn, K.	10 (1998) 289–303
Ziv, A., see Efrat, A.	4 (1994) 119–136